

---

# CAST CABLE PROTECTOR

Casting cable protector is widely applied on cross coupling, tubing, safety valve protection, completions, fixing, well repair and gauge completions.

The body of cable protectors is produced by precision casting using high-grade materials to ensure product reliability. We design and supply diverse downhole control line protectors, coiled tubing protectors, ESP cable clamps and all protectors for downhole lines according to customers' requirements.



---



# APPLICATION

- Configurations for ESP cable, Control line, Chemical injection line
- Interchangeable design to fit tubing sizes from 2- 3/8" to 7"
- Choice of hydraulic or manual tools for installation and removal
- Materials and design can be customized to user specifications



# FEATURES

- Interchangeable sizes from 2.375" OD to 13-5/8" OD
- Dual or triple channel configurations available to separate multiple lines configurations
- Protectors are re-usable saving costs on well recompletions
- Bear High rotational and axial loads.
- Fast and simple installation



PIPE SIZE	TYPE OF PIPE	CABLE	DATA LINE	LENGTH (mm)	MAX OD (mm)
2-3/8"	UP TBG (EUE)	No Cable	1/4", 3/8" and 11X11	230	Φ 110
		Flat Cabl	1/4", 3/8"		Φ 115
		Round Cable	1/4", 3/8"		Φ 120
2-7/8"	UP TBG (EUE)	No Cable	1/4", 3/8" and 11X11	248	Φ 128
		Flat Cabl	1/4", 3/8" and 11X11		Φ 142
		Round Cable	1/4", 3/8" and 11X11		Φ 143
	TBG (NUE)	No Cable	1/4", 3/8" and 11X11	245	Φ 123
		Flat Cabl	1/4", 3/8" and 11X11		Φ 128
		Round Cable	1/4", 3/8" and 11X11		Φ 136
	FOX (JFBEAR)	No Cable	1/4", 3/8" and 11X11	268	Φ 123
		Flat Cabl	1/4", 3/8" and 11X11		Φ 130
		Round Cable	1/4", 3/8" and 11X11		Φ 136
	NK3SB	No Cable	1/4", 3/8" and 11X11	328	Φ 124
		Flat Cabl	1/4", 3/8" and 11X11		Φ 127
		Round Cable	1/4", 3/8" and 11X11		Φ 134
	HUNTING (BGT 1)	No Cable	1/4", 3/8" and 11X11	278	Φ 124
		Flat Cabl	1/4", 3/8" and 11X11		Φ 127
		Round Cable	1/4", 3/8" and 11X11		Φ 134
3-1/2"	UP TBG (EUE)	No Cable	1/4", 3/8" and 11X11	258	Φ 146
		Flat Cabl	1/4", 3/8" and 11X11		Φ 154
		Round Cable	1/4", 3/8" and 11X11		Φ 163
	TBG (NUE)	No Cable	1/4", 3/8" and 11X11	256	Φ 140
		Flat Cabl	1/4", 3/8" and 11X11		Φ 150
		Round Cable	1/4", 3/8" and 11X11		Φ 154
	FOX (JFBEAR) (VAMTOP)	No Cable	1/4", 3/8" and 11X11	292	Φ 140
		Flat Cabl	1/4", 3/8" and 11X11		Φ 148
		Round Cable	1/4", 3/8" and 11X11		Φ 150
	NK3SB (NEWVAM)	No Cable	1/4", 3/8" and 11X11	332	Φ 140
		Flat Cabl	1/4", 3/8" and 11X11		Φ 142
		Round Cable	1/4", 3/8" and 11X11		Φ 145
	BGT1 (JC)	No Cable	1/4", 3/8" and 11X11	300	Φ 140
		Flat Cabl	1/4", 3/8" and 11X11		Φ 150
		Round Cable	1/4", 3/8" and 11X11		Φ 154
4-1/2"	UP TBG (EUE)	No Cable	1/4", 3/8" and 11X11	272	Φ 170
		Flat Cabl	1/4", 3/8" and 11X11		Φ 175
		Round Cable	1/4", 3/8" and 11X11		Φ 194
	TBG (NUE)	No Cable	1/4", 3/8" and 11X11	278	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 170
		Round Cable	1/4", 3/8" and 11X11		Φ 182
	FOX	No Cable	1/4", 3/8" and 11X11	356	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 170
		Round Cable	1/4", 3/8" and 11X11		Φ 174
	NK3SB (NEWVAM)	No Cable	1/4", 3/8" and 11X11	358	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 170
		Round Cable	1/4", 3/8" and 11X11		Φ 174
	VAMPTOP	No Cable	1/4", 3/8" and 11X11	305	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 171
		Round Cable	1/4", 3/8" and 11X11		Φ 175
	BTC	No Cable	1/4", 3/8" and 11X11	350	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 168
		Round Cable	1/4", 3/8" and 11X11		Φ 176
	LTC	No Cable	1/4", 3/8" and 11X11	295	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 170
		Round Cable	1/4", 3/8" and 11X11		Φ 176
	BCSG	No Cable	1/4", 3/8" and 11X11	342	Φ 166
		Flat Cabl	1/4", 3/8" and 11X11		Φ 168
		Round Cable	1/4", 3/8" and 11X11		Φ 175
5-1/2"	BTC	No Cable	1/4", 3/8" and 11X11	350	Φ 188